

[\[edit\]](#) [\[purge\]](#)  Template documentation
 This documentation transcluded from Template:Su/doc([edit](#) | [history](#))

Contents

- [1](#)
[Purpose](#)
- [2](#)
[Arguments](#)
- [3](#)
[Examples](#)
- [4](#) [See Also](#)

Purpose

Template for creating two smaller lines of text on one actual line.

It was named after the **<sup>** and **<sub>** HTML tags, which share the first two letters of their name with this template. This template uses the third letter of the name of these tags, **p** and **b**, as the name of the argument that drives the output of the top and bottom line, respectively.

Arguments

- p** The contents of the top line.
- b** The contents of the bottom line.
- a** The alignment of both lines (**r** for right, **c** for center aligned, default is left aligned)
- w** The size of the characters (**f** for fixed width (monospace), default is whatever the current font is)

Examples

Simple example: X{{su|p=a}}X{{su|b=b}}X{{su|p=a|b=b}}X

X^aX_bX^a_bX

Left aligned (default): X{{su|p=aaaaa|b=b}}X{{su|p=a|b=bbbbb}}X

Xaaaaa^abXabbbbbbX

Right aligned: X{{su|a=r|p=aaaaa|b=b}}X{{su|a=r|p=a|b=bbbbb}}X

Xaaaaa^abXabbbbbbX

Center aligned: X{{su|a=c|p=aaaaa|b=b}}X{{su|a=c|p=a|b=bbbbb}}X

Xaaaaa^abXabbbbbbX

Template:Su

Smaller font: `<small>X{{su|p=a}}X{{su|b=b}}X{{su|p=a|b=b}}X</small>`

$X^aX_bX_{ab}X$

Larger font: `<big>X{{su|p=a}}X{{su|b=b}}X{{su|p=a|b=b}}X</big>`

$X^aX_bX_{ab}X$

Fixed width: `X{{su|p=111|b=www}}X{{su|w=f|p=111|b=www}}X`

$X...wwwX...wwwX$

See Also

- `{{sup}}` - superscript text
- `{{sub}}` - subscript text